


Non-stop production

Fast and efficient | High-Automation | Multifunction | Simple operation

High Performance Automatic Folding Gluing Machine
Efficient and reliable continuous production of high quality products

SETUP

- 4 line prefolding
- Crash-lock module
- Wide range of application



GLUING | FOLDING

Vesta- 50 | 70

 **SimSun**

Venus/Vesta

High Performance Automatic Folding Gluing Machine

Most comprehensive Products

Products packaging apply

Most efficient Features

- Feeder
- Alignment
- Prefolding module
- Crash-lock module
- Lower Gluing module
- Folding Station
- Transfer station
- Compression section
- collection section

The highest quality Setup

- Technical-overall arrangement
- Technical-Setup
- Technical-information
- Specifications
- Related Products

Our Service

After-sale service & Maintenance


Page 11/24

The data is not binding. The pictures are for reference only. The manufacturer reserves the right to do so without notice. The right to make modifications.

Specifications

Accurate

Dimension



1		
Vesta-50	1	1.8m
	2	13m
	3	1.24m



2		
Vesta-70	1	1.8m
	2	13.85m
	3	1.44m

Technical Information

Vesta-50 | 70

Straight line box	Min./mm	Max./mm
C	110	500/700
E	60	600
L	40/50	245/345

Lock-bottom box	Min./mm	Max./mm/mm
C	160	450/650
E	60	600
L	75	220/320



Materials

Vesta-50 | 70

Cardborad&Carton, Max.	200-800g/m ²
Thickness, Min.	8mm
Drive system	m/min
Inching speed, Min to	15m/min
Operating speed, Max to	400m/min

Venus/Vesta

High Performance Auomatic
Folding Gluing Machine

Most comprehensive·Products

Products packaging apply

Most efficient·Features

Feeder
Alignment
Prefolding module
Crash-lock module
Lower Gluing module
Folding Station
Transfer station
Compression section
collection section

The highest quality·Setup

Technical-overall arrangement
Technical-Setup
Technical-information
Specifications
Related Products

Our Service

After-sale
service& Maintenance

Page 16/24

The data is not binding.
The pictures are for reference only.
The manufacturer reserves the right
to do so without noticeThe right to
make modifications.